

# INDEX MAPS.

## T. 5N, R. 6E. 2<sup>nd</sup> Mer.

	425-427	425-427	425-427	425-427	426	426
429	6	<del>449</del> 5	<del>452</del> 4	<del>452</del> 3	<del>452</del> 2	<del>451</del> 1 425
	<del>449</del>	<del>449</del>	<del>450</del>	<del>450</del>	<del>450</del>	<del>451</del>
429	7	<del>448</del> 8	<del>448</del> 9	<del>447</del> 10	<del>447</del> 11	<del>447</del> 12 424
	<del>444</del>	<del>445</del>	<del>445</del>	<del>446</del>	<del>446</del>	<del>446</del>
429	18	<del>444</del> 17	<del>444</del> 16	<del>443</del> 15	<del>443</del> 14	<del>442</del> 13 424
	<del>440</del>	<del>440-454</del>	<del>441</del>	<del>441</del>	<del>442</del>	<del>442</del>
428	19	<del>440</del> 20	<del>439</del> 21	<del>438</del> 22	<del>438</del> 23	<del>438</del> 24 424
	<del>439</del>	<del>436</del>	<del>436</del>	<del>436</del>	<del>437</del>	<del>437</del>
428	30	<del>435</del> 29	<del>435</del> 28	<del>434</del> 27	<del>432</del> 26	<del>431</del> 25 423
	<del>435</del>	<del>434</del>	<del>433</del>	<del>432</del>	<del>431</del>	<del>430</del>
428	31	<del>434</del> 32	<del>433</del> 33	<del>432</del> 34	<del>430</del> 35	<del>430</del> 36 423
	421-423	421-423	421-422	421-422	421-422	421-422

## T. 6N, R. 6E. 2<sup>nd</sup> Mer.

	461		461		461		460		460		459
464	6	487	5	485	4	484	3	484	2	483	1 459
	<del>487</del>	<del>487</del>		<del>485</del>		<del>484-481</del>		<del>482</del>	<del>482</del>	<del>483</del>	
463	7	487	8	484	9	481	10	481	11	480	12 459
	<del>486</del>	<del>486-478</del>	<del>478</del>	<del>478</del>		<del>479</del>		<del>479</del>		<del>480</del>	
463	18	478	17	477	16	477	15	477	14	476	13 458
	<del>485-474</del>	<del>474</del>		<del>475</del>		<del>475</del>		<del>475</del>		<del>476</del>	
462	19	474	20	473	21	473	22	473	23	472	24 458
	<del>470</del>	<del>470</del>		<del>471</del>		<del>471</del>		<del>471</del>		<del>472</del>	
462	30	470	29	469	28	468	27	467	26	466	25 458
	<del>469</del>	<del>469</del>		<del>467</del>		<del>466</del>		<del>465</del>		<del>465</del>	
462	31	468	32	467	33	466	34	465	35	464	36 457
	455-457	455-457	455-457	455-456	455-456	456	455-456	455-456	456		

Meanders 488

The figures on the lines refer to the page.

Township N. 6 North, Range N. 6 East 2. Mer. Ind.

Township Series.  
South Boundary. Random Line

East on the S. Boundary of Sec. 31

40.00 set temp. g. sec. post

80.00 set a temp. post for cor. of sec. 31 & 32

This mile over level Beech timbered land

East on the S. Boundary of Sec. 32

40.00 set temp. g. sec. post

80.00 set a temp. post for cor. of sec. 32 & 33

Land the same as last mile

East on the S. Boundary of Sec. 33

40.00 set temp. g. sec. post

41.50 a Spring runs 5 lbs. wide course NE

56.00 a Dr 4 " " " S

74.00 same " 10 " " " N

80.00 set a temp. post for cor. of sec. 33 & 34

Land the same as last noted

East on the S. Boundary of Sec. 34

18.00 a Bony Pond

40.00 set temp. g. sec. post

45.00 E. side of the Pond

80.00 set a temp. post for cor. of sec. 34 & 35

Land flat, timbered Beech & Maple

East on the S. Boundary of Sec. 35

20.00 a Brook 100 lbs. wide course S

25.00 same " course NE

31.50 " " " SE

36.50 " " " NE

39.00 " " " S

## T. O. N., R. O. E. I. Mer. Ind. a

40.00 set temp. g. sec. post

80.00 set a temp. post for cor. of sec. 35 &amp; 36

Land flat

East on the S. Boundary of Sec. 36

40.00 set temp. g. sec. post

55.00 a Brushy Pond 20 Chs. wide

78.00 Intersect E. Boundary 4 Chs. N. of Town. cor.  
Land flat.

## Corrected Line.

Bearings at cor. of T. 5 &amp; 6 N., R. 6 &amp; 7 E.

a Beech 30 in. dia. bears N 22 W 10 lbs. dist. 8

a Do 18 " " " S 31 E 42 " "

West on the S. Boundary of Sec. 36

40.00 set g. sec. post from which

an Ironwood 10 in. dia. bears N 30 E 18 lbs. dist. 8

a Do 6 " " " S 46 W 23 " "

80.00 set post cor. of sec. 35 &amp; 36 from which

a Beech 12 in. dia. bears N 40 E 12 lbs. dist. 8

an Ironw. 6 " " " S 40 W 24 " "

West on the S. Boundary of Sec. 35

40.00 set g. sec. post from which

a Beech 10 in. dia. bears S 76 E 22 lbs. dist. 8

a Do 24 " " " East 17 " "

80.00 set post cor. of sec. 34 &amp; 35 from which

a Hickory 10 in. dia. bears N 77 W 47 lbs. dist. 8

an Elm - " " " N 55 W 8 " "

West on the S. Boundary of Sec. 34

40.00 set g. sec. post from which

a W. Ash 12 in. dia. bears N 41 E 15 lbs. dist. 8

T.C.N., R.O.E. 2.<sup>d</sup> Mer. Ind.<sup>a</sup>

an Ash 20 in. dia. bears S 28° W 15 lbs. dist.  
 80.00 set part cor. of sec. 33 & 34 from which  
 a Gum 24 in. dia. bears N 47° W - lbs. dist. 8  
 a Do 30 " " " S 50° E 10 " "

## West on the S. Boundary of Sec. 33

40.00 set of sec. part from which  
 a Maple 20 in. dia. bears N 18° E 15 lbs. dist. 8  
 a Do 12 " " " S 18° W 38 " "  
 80.00 set part cor. of sec. 32 & 33 from which  
 a Beech 10 in. dia. bears N 68° E 24 lbs. dist. 8  
 a Do 11 " " " N 88° W 23 " "

## West on the S. Boundary of Sec. 32

40.00 set of sec. part from which  
 a W. Oak 24 in. dia. bears S 55° E 3 lbs. dist. 8  
 an Elm 10 " " " N 22° E 17 " "  
 80.00 set part cor. of sec. 31 & 32 from which  
 a W. Oak 14 in. dia. bears S 56° W 6 lbs. dist. 8  
 a Gum 12 " " " N 8° E 18 " "

## West on the S. Boundary of Sec. 31

40.00 set of sec. part from which  
 a Beech 12 in. dia. bears S 52° W 4 lbs. dist. 8  
 a Poplar 40 " " " N 52° E 18 " "  
 78.00 to Township corner October 16, 1806

## East Boundary.

## North on the E. Boundary of Sec. 36

40.00 set of sec. part from which  
 a Poplar 8 in. dia. bears N 57° W 10 lbs. dist. 8  
 a Do 6 " " " S 31° E 11 " "  
 77.00 a Brook 10 lbs. wide corner N° W



T. C. N., R. C. E. 2.<sup>d</sup> Mer. Ind.<sup>a</sup>

86.00 set part cor. of sec. 25 & 36 from which  
 a Beech 10 in. diameter North 41 W. dist. 8  
 an Elm 48 " " S 75 W 32 " "  
 Good farming land, timber Beech

---

## North on the E. Boundary of Sec. 25

40.00 set of sec. part from which  
 a Beech 20 in. diameter S 31 W 7 W. dist. 8  
 a Sugar 8 " " N 35 W 4 " "  
 86.00 set part cor. of sec. 24 & 25 from which  
 a Beech 12 in. diameter N 19 W 10 W. dist. 8  
 a Do 10 " " S 78 E 24 " "  
 Land the same as last noted

---

## North on the E. Boundary of Sec. 24

40.00 set of sec. part from which  
 a Beech 10 in. diameter N 13 W 12 W. dist. 8  
 a Do 8 " " S 57 E 7 " "  
 44.50 a Brook 10 W. wide course NE  
 76.00 a Do 12 " " S 9 W  
 80.00 set part cor. of sec. 13 & 24 from which  
 a Beech 15 in. diameter S 82 E 14 W. dist. 8  
 a Do 8 " " S 71 W 9 " "  
 Land the same as last noted

---

## North on the E. Boundary of Sec. 13

40.00 set of sec. part from which  
 a Beech 10 in. diameter S 79 E 6 W. dist. 8  
 a Do 8 " " N 32 E 21 " "  
 68.00 a Brook 12 W. wide course W  
 80.00 set part cor. of sec. 12 & 13 from which  
 a W. Ash 20 in. diameter N 40 W 4 W. dist. 8  
 a Beech 20 " " N 42 E 10 " "

(T.O.N., R. 6 E. 2<sup>d</sup> Mer. Ind.<sup>a</sup>)

This mile over flat land, timber Beech

North on the E. Boundary of Sec. 12

40.00 Set of sec. post from which

a Beech 10 in. diameter N 76° W 2 1/2 m. dist. 8

a Do 10 " " " N 83° E 12 1/2 " "

54.00 a Brook 5 m. wide course NE

80.00 Set post cor. of sec. 1 & 12 from which

a Beech 20 in. diameter S 85° W 23 m. dist. 8

a Gum 15 " " " S 46° E 7 " "

Land the same as last noted

North on the E. Boundary of Sec. 1

40.00 Set of sec. post from which

a Beech 10 in. diameter S 25° E 6 m. dist. 8

a Do 12 " " " N 88° E 23 " "

80.00 Set post cor. of T. 6 & 7 N, R. 6 & 7 E. from which

a Beech 16 in. diameter S 29° W 12 m. dist. 8

a — — " " " N 67° E 20 " "

This mile over good farming land, timber  
Poplar, Beech & Oak

(North Boundary.

West on the T. Boundary of Sec. 30, T. 7 N, R. 6 E

15.00 a Branch 10 m. wide course S W

37.00 a Brook 50 " " " S W

40.00 Set of sec. post from which

a Beech 10 in. diameter N 85° E 12 m. dist. 8

a Do 10 " " " S 60° W 25 " "

47.50 a Do 24 " "

80.00 Set post cor. of sec. 35 & 36 from which

a Beech 24 in. diameter N 77° E 28 m. dist. 8

a Do 10 " " " S 71° W 15 1/2 " "

T. 6 N., R. 6 E. 2<sup>d</sup>. Mer. Ind.<sup>a</sup>

Good farming land

West on the S. Boundary of Sec. 35, T 7 N, R 6 E

25.86 set post on the Indian Boundary from which

a W. Oak 24 in. diameter N 59 E 2 1/2 lbs. dist. 3

a Maple 10 " " " S 63 W 17 " "

Land the same, timbered Oak, Hickory & Poplar  
Surveyed in 1806 by Arthur Newice

Dep. Surveyor

40.00 set g. sec. post from which Var. 7.36 E

a Beech 12 in. diameter N 15 W 17 lbs. dist. 3

a Do 4 " " " S 34 E 5 " "

44.50 a Do 12 " "

70.00 a Branch 15 lbs. wide course S W

80.00 set post cor. of Sec. 34 &amp; 35 from which

a Dogwood 6 in. diameter N 61 W 22 lbs. dist. 3

a Beech 26 " " " S 8 E 14 " "

Level land, timbered Beech, Oak, Gum &amp;c.

West on the S. Boundary of Sec. 34, T 7 N, R 6 E

11.75 a Branch 10 lbs. W. course S

40.00 set g. sec. post from which

a Beech 8 in. diameter West 7 lbs. dist. 3

a Do 15 " " " S 78 E 27 " "

Level land, timbered Beech, Oak, Gum &amp; Under Spice

59.50 a Branch 5 lbs. wide course S

68.50 a Do 5 " " " S

80.00 set post cor. of Sec. 33 &amp; 34 from which

a Beech 24 in. diameter N 45 E 13 lbs. dist. 3

a Dogwood 4 " " " S 40 E 12 " "

Level land, timbered Poplar, Sugar, Beech &c.  
Under Spice, rich soil

T. 6 N., R. 6 E., 2<sup>d</sup> Mer. Ind.<sup>a</sup>

West on the S. Boundary of Sec. 33, T. 7 N., R. 6 E

6.50 a Branch 5 lbs. wide course S

9.90 a Walnut 24 in. dia.

40.00 set of sec. post from which

a Beech 24 in. dia. bears N 85 E 27 lbs. dist. 8

a Do 14 " " " S 30 W 14 " "

Level land, timbered Beech & Under Spruce -  
Good soil

74.50 a Branch 4 lbs. wide course N

80.00 set post cor. of Sec. 32 &amp; 33 from which

a Beech 8 in. dia. bears S 31 W 8 lbs. dist. 8

a Do 9 " " " N 31 E 8 " "

Land as last noted

West on the S. Boundary of Sec. 32, T. 7 N., R. 6 E

9.25 a Branch 4 lbs. wide course N

15.00 a Do 4 " " " N

31.00 a Do 4 " " " N

34.00 a Poplar 36 in. dia.

40.00 set of sec. post from which

a Beech 10 in. dia. bears S 38 W 2 lbs. dist. 8

a Do 4 " " " N 20 W 22 " "

41.00 a Branch 4 lbs. wide course N

58.00 a Do 4 " " " N

72.62 a Sycamore 72 in. dia.

80.00 set post cor. of Sec. 31 &amp; 32 from which

a Hackberry 15 in. dia. bears N 50 W 22 lbs. dist. 8

an Ash 4 " " " S 66 E 19 " "

1<sup>1</sup>/<sub>2</sub> mile level, timber as last noted - 2<sup>1</sup>/<sub>2</sub> mile  
low ground, subject to overflow, Ash &c.

West on the S. Boundary of Sec. 31, T. 7 N., R. 6 E

10.00 Intersus River set post from which

T. 6 N., R. 6 E. 2<sup>d</sup> Mer. Ind.<sup>a</sup>

a Cottonwood 15 in. dia. leans S 88 E 150 lbs. dist. 15.91 to post on W. bank from which

a Sugar 10 in. dia. leans N 53 W 27 lbs. dist. 8

a Do 15 " " " S 60 W 40 " "

33.12 set of sec. post from which

a Beech 12 in. dia. leans N 59 W 20 lbs. dist. 3

a Do 18 " " " N 39 E 16 " "

73.12 Intersect cor. of T. 6 & 7 N., R. 5 & 6 E.

First 1/2 mile low ground subject to overflow,  
L. humb. L. bottom, timber Beech & soil good,  
Hackberry. Surveyed in 1819 by

John M. Donald  
Dep. Surveyor.

## West Boundary

North on the E. Boundary of Sec. 36, T. 6 N., R. 5 E

40.00 set of sec. post from which

a Gum 20 in. dia. leans S 41 W 7 lbs. dist. 8

a Beech 8 " " " N 13 W 8 " "

80.00 a Beech 20 " " stands for cor. of sec. 25 & 36  
Land level, timber Beech

North on the E. Boundary of Sec. 25, T. 6 N., R. 5 E

40.00 set of sec. post from which

an Elm 20 in. dia. leans S 5 W 19 lbs. dist. 8

a Beech 10 " " " N 15 W 28 " "

80.00 set post cor. of sec. 24 & 25 from which

a Hickory 20 in. dia. leans N 25 W 6 lbs. dist. 8

a Beech 8 " " " S 63 W 12 " "

Land the same as last noted

North on the E. Boundary of Sec. 24, T. 6 N., R. 5 E

40.00 set of sec. post from which

Running for cor. of Sec. 36, T. 6 N., R. 5 & 6 E.  
a Gum 10 5489m2 a Beech 24.125 E 14



T. C. N., R. 6 E. L. Mer. Ind.<sup>a</sup>

a Beech 20 in. dia. leans N 57° W 11 ft. dist. 8  
 an Ironw. 6 " " " N 75° E 16 " "

80.00 set first cor. of sec. 13 & 24 from which

a Locust 24 in. dia. leans S 57° E 13 ft. dist. 8 a Beech 24 in. dia. leans N 30° W 20

Over good farming land, timber Beech, Poplar,  
 Oak & Sugar

North on the E. Boundary of Sec. 13, T 6 N, R 5 E

1.82 set post on Indian Boundary from which

a Hackberry 20 in. dia. leans N 48° E 27 ft. dist. 8

a W. Ash 20 " " " S 23° E 44 " "

Surveyed in 1806 by Arthur Heurie

Dep. Surveyor

35.50 a Walnut 24 in. dia.

40.00 set g. sec. post from which

a Sugar 10 in. dia. leans S 33° E 19 ft. dist. 8

a B. Oak 24 " " " N 28° E 11 " "

Level land, soil rich, timber Beech & Sugar  
 W. Under Spruce

56.20 a Walnut 30 in. dia.

80.00 set post cor. of sec. 12 & 13 from which

a Gum 30 in. dia. leans N 46° W 8 ft. dist. 8

a W. Oak 30 " " " N 57° E 12 " "

Land as above noted

North on the E. Boundary of Sec. 12, T 6 N, R 5 E

27.56 an Ash 20 in. dia.

40.00 set g. sec. post from which

a Cherry 5 in. dia. leans S 40° E 3 ft. dist. 8

a Beech 15 " " " N 23° W 28 " "

Low ground, rich soil, timber Walnut, Ash,  
 Elm, Hackberry & Under Spruce

44.42 a Gum 25 in. dia.

T. 6 N., R. 6 E. Mer. Ind<sup>a</sup>

79.70 Intersect the river 877<sup>th</sup>. wide runs N 72° W  
set post from which

a Beech 30 in. dia. bears S 49° W 3<sup>th</sup>. dist. 8

a Sugar 12 " " " S 45° E 30 " "

80.00 post in river

Land &c. as last noted

North on the E. Boundary of Sec. 1, T. 6 N., R. 5 E

8.47 set post on the N. bank of the river from which

a Sycamore 10 in. dia. bears N 43° W 21<sup>th</sup>. dist. 8

a Do 15 " " " N 47° E 14 " "

10.25 a Do 36 " "

40.00 set of sec. post from which

a Sugar 15 in. dia. bears S 89° E 25<sup>th</sup>. dist. 8

a Do 12 " " " N 64° W 32 " "

80.00 set post cor. of T. 6 N., R. 5 & 6 E. from which

a Beech 20 in. dia. bears N 44° W 14<sup>th</sup>. dist. 8

a Do 8 " " " " " " " " " " " "

Over level ground, timber Sycamore, Beech &c.

W. Spice

May 29. 1819

John M. Donald

Dep. Surveyor.

### Subdivision.

North between Sec. 35 & 36, T. 6 N., R. 6 E

8.15 a W. Oak 36 in. dia.

40.00 set of sec. post from which

a Gum 24 in. dia. bears S 87° W 3<sup>th</sup>. dist. 8

a R. Oak 33 " " " S 34° W 31 " "

50.00 Swamp to the post

64.11 an Ash 16 in. dia.

80.00 set post in Swamp cor. of Sec. 25, 26, 35 & 36 from which

a Maple 18 in. dia. bears S 79° W 11<sup>th</sup>. dist. 8

# *T. O. N., R. O. E. L. Mer. Ind. a*

a Maple 20 in. diam bears S 49 E 21 Ms. dist.  
Wet Bottom, Ash, Maple, Oak & Elm

## *East on Random between Sect. 25 & 30*

27.50 Swamp

40.00 setting of sec. post

70.00 a Branch 10 Ms. wide course N 30 W

79.30 Intersect E. Boundary 342 Ms. N. of post —  
Ash, Maple & Elm in the Bottom, Beech &  
Poplar on the Upland

## *West corrected between Sect. 25 & 30*

39.65 set of sec. post at aver. dist. from which  
a Beech 24 in. diam bears N 83 W 19 Ms. dist. 8,  
a Do 10 " " " S 46 E 17 " "

79.30 to sec. cor.

## *North between Sect. 34 & 35*

30.50 wet Bottom

40.00 set of sec. post from which

a Poplar 30 in. diam. bears N 89 W 8 Ms. dist. 8,  
a Beech 18 " " " N 84 E 25 " "

50.10 a Do 24 " "

80.00 set post cor. of Sect. 26, 27, 34 & 35 from which  
a Beech 24 in. diam bears N 73 E 20 Ms. dist. 8,  
a Do 10 " " " S 12 W 21 " "  
Maple, Elm & Ash in the Bottom, Beech,  
Poplar & Oak on the Upland

## *East on Random between Sect. 26 & 35*

40.00 setting of sec. post

44.50 Swamp to the post

79.00 Intersect N. & S. line 20 Ms. N. of post —

T. C. N., R. C. E. I., Mer. Ind.<sup>a</sup>

Maple, Elm & Ash in the Swamp, in the Up-  
land Beech, Poplar & Oak

---

West corrected between Sec. 26 & 35

39.50 set g. sec. post at aver. dist. from which  
a Beech 20 in. diameter N 84° W 25 lbs. dist. 8  
a Do 10 " " " S 31° E 20 " "  
79.00 to sec. cor.

---

North between Sec. 25 & 26

This mile is all Swamp & is fed by several  
streams of water putting into it. It is part brushy  
& part timbered with Maple, Ash, Elm & Gum.  
The soil is black mud. November 24. 1806

---

North between Sec. 33 & 34

6.50 wet Bottom  
8.00 a Branch 25 lbs. wide come E  
15.00 large Poplar & Beech  
40.00 set g. sec. post from which  
an Ash 20 in. diameter S 12° W 24 lbs. dist. 8  
a Beech 12 " " " S 19° E 22 " "  
69.75 a Spring branch come E  
73.25 a Beech 22 in. dia.  
80.00 set post cor. of sec. 27, 28, 33 & 34 from which  
a Beech 10 in. diameter S 57½° W 27 lbs. dist. 8  
a Do 10 " " " S 76° E 27 " "  
Low ridges, Beech, Ash, Sugar, Walnut & Poplar

---

East on Random between Sec. 27 & 34

40.00 set temp. g. sec. post  
80.08 Intersect N. S. line 60 lbs. E. of post -  
Level, Beech, Oak, Ash & Poplar

---

## T. C. N., R. C. E. I. Mer. Ind. a

West Corrected between Sec. 27 &amp; 34

40.04 set of sec. post at aver. dist. from which  
 a Beech 12 in. diam. N 16 E 10 M. dist. 8  
 a Do 8 " " S 29 W 28 " "

80.08 to sec. cor.

North between Sec. 26 &amp; 27

21.12 a Poplar 48 in. dia.

27.00 18.50 wet Bottom

31.50 a Branch 30 M. wide course S 70 E

40.00 set of sec. post from which  
 a Gum 14 in. diam. S 10 E 10 M. dist. 8  
 an Elm 13 " " N 55 E 14 " "

53.33 a Beech 18 " "

63.75 a Branch 6 M. wide course S 30 E

80.00 set post cor. of sec. 22, 23, 26 & 27 from which  
 a Beech 13 in. diam. S 77 W 8 M. dist. 8  
 a Do 12 " " N 20 E 16 " "  
 Sord., Beech, Poplar, Oak & Ash

North between Sec. 32 &amp; 33

29.00 Swamp

32.75 a Branch 12 M. wide course E

37.62 a Do 12 " " " S 30 E. and up  
 it through swampy bottom to the mile post -

80.00 set post cor. of sec. 28, 29, 32 & 33 from which  
 an Oak 12 in. diam. N - E 10 M. dist. 8  
 a Beech 10 " " N 12 W 21 " "  
 Sord., Beech, Poplar, Ash, Oak

East on Random between Sec. 28 &amp; 33

40.00 set temp. of sec. post

26.88 a Branch 8 M. wide course S



## T. C. N., R. C. E. I. Mer. Ind. a

37.00 a Branch 6 in. wide course S  
 79.50 Intersect N & S line at point -  
 Level, Beech, Poplar, Ash & Oak

---

West connected between Sec. 28 & 33

39.75 set of sec. post at aver. dist. from which  
 a Beech 10 in. diameter N 87° W 23 in. dist. 8  
 a Do 10 " " " S 77° E 22 " "  
 79.50 to sec. cor.

---

North between Sec. 27 & 28

40.00 set of sec. post from which  
 a Beech 15 in. diameter S 89° E 11 in. dist. 8  
 a Do 15 " " " N 65° W 20 " "

49.50 10.00 wet Bottoms

53.25 a Branch 10 in. wide course S 50° E

67.90 a W. Oak 30 in. dia.

80.00 set post cor. of sec. 21, 22, 27 & 28 from which  
 a Beech 20 in. diameter N 65° E 12 in. dist. 8  
 a Sugar 32 " " " South 38 " "  
 Low ridges, rich soil, Beech, Poplar, Walnut,  
 Ash, Oak & Sugar

---

North between Sec. 31 & 32

20.50 a W. Oak 18 in. dia.

40.00 set of sec. post from which  
 a Beech 10 in. diameter S 61° E 11 in. dist. 8  
 a Do 9 " " " N 61° W 12 " "

74.00 a Do 20 " "

80.00 set post cor. of sec. 29, 30, 31 & 32 from which  
 a Beech 12 in. diameter S 80° E 16 in. dist. 8  
 a Do 20 " " " S 42° W 32 " "  
 Level, Beech, Ash, Poplar, Gum & Elm

---

T. C. N., R. O. E. 2.<sup>d</sup> Mer. Ind.<sup>a</sup>

## East on Random between Sec. 29 &amp; 32

40.00 set temp. g. sec. port

79.00 a Branch 12 lbs. wide course S

79.50 Intersect N. T. line 60 lbs. N. of port -  
Beech, Poplar, Ash & Oak

## West corrected between Sec. 29 &amp; 32

39.75 set g. sec. port at aver. dist. from which  
a Beech 30 in. dia. bears N 61 E 9 lbs. dist. 8

a Dr 12 " " " S 36 W 25 " "

79.50 to sec. cor. November 25, 1806

## North between Sec. 28 &amp; 29

11.25 a Branch 12 lbs. wide course S 30 W

33.00 a Beech 30 in. dia.

40.00 set g. sec. port from which

a Beech 20 in. dia. bears S 89 W 16 lbs. dist. 8

a Dr 10 " " " S 56 E 25 " "

51.75 a Dr 25 " "

80.00 set port cor. of Sec. 20, 21, 28 &amp; 29 from which

a Beech 10 in. dia. bears S 26 E 15 lbs. dist. 8

a Poplar 16 " " " N 59 E 18 " "

Sced, Beech, Poplar, Gum, Elm &amp; Ash

## West between Sec. 30 &amp; 31

27.62 a W. Oak 60 in. dia.

40.00 set g. sec. port from which

a Gum 30 in. dia. bears S 32 W 13 lbs. dist. 8

a Beech 10 " " " N 54 W 15 " "

72.50 a W. Oak 40 " "

75.70 Intersect W. Boundary 260 lbs. N. of 1<sup>st</sup> Beech stand-  
ing for cor. of Sec. 25 & 36, T. C. N., R. O. E. -  
set port at intersection cor. of Sec. 30 & 31 from which

T.C.N., R.C.E. 2.<sup>o</sup> Mer. Ind.<sup>o</sup>

a Hickory 12 in. diameter N 50 1/2 E 25 lbs. dist. 8  
 a W. Oak 13 " " S 21 E 5 " "  
 Level, Gum, Maple, Beech & Oak

---

## North between Sec. 29 &amp; 30

6.50 a Beech 20 in. dia.  
 40.00 set g. sec. port from which  
 a Beech 10 in. diameter N 63 W 19 lbs. dist. 8  
 a Do 10 " " S 23 W 21 " "  
 68.78 a Do 22 " "  
 80.00 set port cor. of sec. 19, 20, 29 & 30 from which  
 a Beech 23 in. diameter S 73 W 17 lbs. dist. 8  
 a Do 14 " " N 76 E 19 " "  
 Level, Beech, Ash, Poplar, Gum, Oak & Maple

---

## West between Sec. 19 &amp; 30

28.50 a Beech 36 in. dia.  
 40.00 set g. sec. port from which  
 a Beech 24 in. diameter N 65 W 17 lbs. dist. 8  
 a Do 14 " " N 27 E 28 " "  
 75.08 Intersect W. Boundary 438 lbs. N. of port -  
 set port at intersection cor. of sec. 19 & 30 from which  
 a R. Oak 22 in. diameter S 45 E 6 lbs. dist. 8  
 an Elm 10 " " N 20 E 16 " "  
 Level, Maple, Beech, Gum, Ash & Poplar

---

## East on Random between Sec. 20 &amp; 29

40.00 set temp. g. sec. port  
 79.00 Intersect N. G. line at port -  
 Level, Beech, Poplar & Oak

---

## West blazed between Sec. 20 &amp; 29

39.50 set g. sec. port at aver. dist from which

## T. C. N., R. C. E. I. Mer. Ind. a

a Maple 24 in. diameter N 40° W 19 lbs. dist. 8  
 a Do 18 " " " S 48° E 36 " "

79.00 to sec. cor.

---

East on Random between Sec. 21 & 28

22.75 a Branch 6 lbs. wide

40.00 set temp. of sec. port

43.00 a Branch 8 lbs. wide course N 60° E

64.50 9.00 Bottom wet

70.50 a Branch 25 lbs. wide course S

79.00 Intersect N & S. line 70 lbs. N. of port -  
 Beech, Poplar & Ash

---

West Corrected between Sec. 21 & 28

39.50 set of sec. port at aver. dist. from which  
 a Beech 2 in. diameter N 48° W 20 lbs. dist. 8  
 a Do 16 " " " S 87° E 35 " "

79.00 to sec. cor.

---

East on Random between Sec. 22 & 27

40.00 set temp. of sec. port

48.50 a Branch 8 lbs. wide course S

80.00 Intersect N & S. line 12 lbs. S. of port -

Rich level land, Beech, Poplar, Ash, Oak  
 & Hickory

---

West Corrected between Sec. 22 & 27

40.00 set of sec. port at aver. dist. from which  
 an Ash 10 in. diameter N 24° W 15 lbs. dist. 8  
 a Beech 10 " " " S 77° W 10 " "

80.00 to sec. cor. November 26. 1806

---

East on Random between Sec. 23 & 26

## T. C. N., R. C. E. L. Mer. Ind. a

21.12 a Branch 500 ft. wide course S  
 40.00 set of sec. port from which  
 a Beech 20 in. dia. leans S 30 E 70 ft. dist. 8  
 a Do 10 " " " S 83 W 23 " "  
 59.50 Swamp to the port  
 80.00 set port cor. of sec. 23, 24, 25 & 26 from which  
 a Maple 14 in. dia. leans S 42 E 24 ft. dist. 8  
 a Do 20 " " " N 32 W 12 " "  
 Maple, Ash & Elm in the Swamp, Beech,  
 Poplar, Oak, Ash & Hickory on the Upland

---

East on Random between Sec. 24 & 25

14.50 Swamp

40.00 set temp. of sec. port

80.90 Intersect E. Boundary 450 ft. N. of port -  
 Maple, Elm & Ash in Swamp, Beech, Poplar  
 & Oak on the Upland

---

West connected between Sec. 24 & 25

40.45 set of sec. port at aver. dist. from which  
 a R. Oak 30 in. dia. leans S 62 E 11 ft. dist. 8  
 a Maple 12 " " " S 48 W 17 " "

80.95 to Sec. cor.

---

North between Sec. 23 & 24

67.00 Swamp

21.00 a Branch 500 ft. wide course S 30 E

31.10 an Ash 20 in. dia.

40.00 set of sec. port from which

an Ash 13 in. dia. leans N 7 W 8 ft. dist. 8

a Maple 12 " " " S 34 W 9 " "

52.28 a Branch 150 ft. wide course W

67.00 Upland to port



T. C. N., R. C. E. 2<sup>nd</sup> Mer. Ind.?

80.00 set part cor. of sec. 13, 14, 23 & 24 from which  
 a Beech 14 in. dia bears N19W11W. dist. 8  
 a Do 23 " " " S77E24 " "  
 Maple, Elm & Gum in the Swamp, Beech,  
 Poplar, Oak & Gum on the Upland

---

## North between Sec. 22 &amp; 23

16.38 a Beech 24 in. dia.

40.00 set of sec. part from which  
 a Beech 10 in. dia bears S35W20W. dist. 8  
 a Hickory 14 " " " N33W25 " "

48.56 a Do 18 " "

80.00 set part cor. of sec. 14, 15, 22 & 23 from which  
 a Beech 12 in. dia bears N11W8W. dist. 8  
 a Do 10 " " " N81E24 " "  
 Level rich land, Beech, Poplar & Oak

---

## North between Sec. 21 &amp; 22

15.00 a Beech 20 in. dia.

40.00 set of sec. part from which  
 an Ash 20 in. dia bears S4E48W. dist. 8  
 an Elm 14 " " " N78W39 " "

74.00 a W. Oak 36 " "

80.00 set part cor. of sec. 15, 16, 21 & 22 from which  
 a Beech 10 in. dia bears N66E8W. dist. 8  
 a Do 22 " " " S3W25 " "  
 Level, Beech, Ash, Poplar, Elm & Oak

---

## North between Sec. 20 &amp; 21

19.50 an Elm 14 in. dia.

28.00 a Branch 10 W. wide corner E

40.00 set of sec. part from which  
 a Beech 24 in. dia bears N4E21W. dist. 8

T. O. N., R. O. E. L. Mer. Ind.<sup>a</sup>

a Beech 8 in. dia bears S 85 E 26 lbs. dist.  
 80.00 Set part cen. of sec. 16, 17, 20 & 21 from which  
 a Beech 10 in. dia bears S 31 E 36 lbs. dist. &  
 a Do 16 " " " N 41 W 18 " "  
 Level, Beech, Poplar, Elm & Oak. Nov. 27. 1806

---

## North between Sec. 19 &amp; 20

27.38 an Ark 18 in. dia.  
 40.00 Set of sec. part from which  
 a Beech 13 in. dia bears N 27 W 10 lbs. dist. &  
 an Ark 15 " " " N 75 E 20 " "  
 42.00 a Branch 10 lbs. wide course W  
 65.50 a R. Oak 33 in. dia.  
 80.00 Set part cen. of sec. 17, 18, 19 & 20 from which  
 a Beech 14 in. dia bears S 83 E 15 lbs. dist. &  
 a Do 8 " " " N 52 W 10 " "  
 Level, Beech, Poplar, Gum, Ark & Oak, some  
 Maple

---

## West between Sec. 18 &amp; 19

28.30 a Beech 14 in. dia.  
 40.00 Set of sec. part from which  
 a Beech 16 in. dia bears N 54 E 16 lbs. dist. &  
 a Sugar 16 " " " S 57 E 16 " "  
 60.74 Intersect Indian Boundary & set part from which  
 a Gum 22 in. dia bears N 49 E 10 lbs. dist. &  
 a Beech 18 " " " S 56 E 55 " "  
 Level, Beech, Ark, Sugar, Poplar, Gum & Oak

---

## East in Random between Sec. 17 &amp; 20

40.00 Set temp. of sec. part  
 79.00 Intersect N. S. line 100 lbs. N. of part -  
 Level, Beech, Poplar, Gum, Ark & Oak

---

T. O. N., R. O. E. 2<sup>d</sup> Mer. Ind<sup>a</sup>.

West Connected between Sec. 17 &amp; 20

39.50 set g. sec. post at aver. dist. from which  
 a Beech 22 in. diameter N 26 W 15 lbs. dist. 8  
 a Do 14 " " " S 47 E 38 " "  
 79.00 to sec. cor.

---

East on Random between Sec. 16 &amp; 21

17.00 a Branch 6 lbs. wide course N 70 E  
 36.50 same " course S 40 E  
 40.00 set temp. g. sec. post  
 57.38 a Branch 20 lbs. wide course S.  
 79.00 Intersect N & S. line 100 lbs. N. of post—  
 Locust, Beech, Poplar & Oak

---

West Connected between Sec. 16 &amp; 21

39.50 set g. sec. post at aver. dist. from which  
 a Beech 12 in. diameter N 11 E 25 lbs. dist. 8  
 a Gum 16 " " " S 20 W 12 " "  
 79.00 to sec. cor.

---

East on Random between Sec. 15 &amp; 22

40.00 set temp. g. sec. post  
 80.00 Intersect N & S. line at post—  
 Locust, Beech, Poplar, Ash & Oak

---

West blazed between Sec. 15 &amp; 22

40.00 set g. sec. post at aver. dist. from which  
 a Beech 12 in. diameter S 86 E 19 lbs. dist. 8  
 a Do 8 " " " S 67 W 26 " "  
 80.00 to sec. cor.

---

East on Random between Sec. 14 &amp; 23

28.75 a Spring branch course N 50 E

T. C. N., R. C. E. 2.<sup>d</sup> Mer. Ind.<sup>a</sup>

40.00 set temp. g. sec. post  
 48.50 Swamp  
 56.12 Pond S  
 --- (Whole distance not given)

West blazed between Sec. 14 & 23  
 --- set g. sec. post from which  
 a Beech 15 in. dia. bears S 1 E 9 lbs. dist. 8  
 a Do 16 " " " N 55 E 32 " "  
 --- to sec. cor.  
 Level, Beech, Poplar & Oak

East on Random between Sec. 13 & 24  
 40.00 set temp. g. sec. post  
 50.50 Bottom to the post  
 55.00 a Branch 15 lbs. wide course S  
 61.00 a Do 50 " " " S  
 80.00 a Do 25 " " " S 50 W  
 80.50 Intersect E. Boundary 450 lbs. N. of post -  
 Level, Beech, Poplar, Oak, Ash & Walnut

West Connected between Sec. 13 & 24  
 40.25 set g. sec. post at aver. dist. from which  
 a Walnut 20 in. dia. bears N 62 E 4 lbs. dist. 8  
 an Ash 14 " " " S 21 W 9 " "  
 80.50 to sec. cor.

North between Sec. 13 & 14  
 21.88 a Beech 20 in. dia.  
 33.00 a Spring branch course W  
 40.00 set g. sec. post from which  
 a Beech 18 in. dia. bears N 60 W 24 lbs. dist. 8  
 a Do 13 " " " S 4 E 16 " "

T. C. N., R. C. E. 2<sup>o</sup>. Mer. Ind.<sup>a</sup>

64.18 an Ash 16 in. dia.

65.00 Swamp to the port

80.00 set port cor. of sec. 11, 12, 13 & 14 from which  
a Maple 15 in. dia. bears N 52 W 18 lbs. dist. 8

a Do 10 " " " S 34 E 16 " "

Beech, Poplar, Oak on the Upland, ~~Oak on the~~

Maple, Elm, Ash & Gum in the Swamp

November 28. 1806

North between Sec. 14 & 15

40.00 set of sec. port from which

a Beech 12 in. dia. bears S 33 E 27 lbs. dist. 8

a Do 13 " " " N 27 E 39 " "

61.25 a Poplar 36 " "

64.50 a Spring branch course E

80.00 set port cor. of sec. 10, 11, 14 & 15 from which

a Beech 22 in. dia. bears N 40 W 11 lbs. dist. 8

a Do 13 " " " S 39 W 45 " "

Low ridges, rich Plough land, Beech, Poplar & Oak

North between Sec. 15 & 16

11.00 a Branch 12 lbs. wide course S 50 W

40.00 set of sec. port from which

a Hickory 16 in. dia. bears S 20 E 9 lbs. dist. 8

a R. Oak 23 " " " N 28 W 38 " "

52.50 a Branch 6 lbs. wide course N 40 E

71.66 a Gum 22 in. dia.

80.00 set port cor. of sec. 9, 10, 15 & 16 from which

a Beech 14 in. dia. bears N 39 E 28 lbs. dist. 8

a W. Oak 10 " " " N 46 W 24 " "

Level, Beech, Oak, Poplar & Gum

North between Sec. 16 & 17



T. C. N., R. C. O. 2.<sup>d</sup> Mer. Ind.<sup>a</sup>

- 8.50 a Beech 18 in. dia.  
 40.00 set of sec. part from which  
 a W. Oak 21 in. dia. bears N60 E 20 lbs. dist. 8  
 an Ash 8 " " " N10 E 30 " "  
 51.50 a S. W. Oak 22 in. dia  
 80.00 set part cor. of sec. 8, 9, 10 & 17 from which  
 a Beech 10 in. dia. bears N85 E 8 lbs. dist. 8  
 a Gum 30 " " " S 7 W 25 " "  
 Sced, Beech, Poplar, Gum, Oak & Ash
- 

## North between Sec. 17 &amp; 18

- 29.00 a Spring branch course W  
 40.00 set of sec. part from which  
 a Beech 15 in. dia. bears N76 E 33 lbs. dist. 8  
 a Sugar 20 " " " N59 W 53 " "  
 40.85 Intersect Indian Boundary, set part from which  
 a Sugar 20 in. dia. bears S18 W 31 lbs. dist. 8  
 a Beech 12 " " " N75 E 37 " "  
 Low ridges, Beech, Poplar & Oak from Sugar
- 

## West between Sec. 8 &amp; 17

- 23.18 Intersect Indian Boundary, set part from which  
 a Beech 12 in. dia. bears S67 E 27 lbs. dist. 8  
 a Dec 13 " " " N65 E 41 " "  
 Sced, Beech, Poplar, Ash, Maple, Gum & Oak
- 

## North between Sec. 8 &amp; 9

- 15.50 Intersect Indian Boundary, set part from which  
 a Beech 8 in. dia. bears S23 E 13 lbs. dist. 8  
 a Hickory 10 " " " N89 E 8 " "  
 Sced, Beech, Poplar, Gum, Ash, Maple & Oak
- 

## East on Random between Sec. 9 &amp; 16

T. C. N., R. C. E. L. Mer. Ind.<sup>a</sup>

40.00 set temp. g. sec. post

78.50 Intersect N. &amp; S. line at post—

Level, Beech, Poplar, Oak, Gum, Elm &amp; Ash

West Connected between Sec. 9 &amp; 16

39.25 set g. sec. post at aver. dist. from which  
a Gum 8 in. diameter N 43 E 14 M. dist. 8  
a Beech 10 " " " S 47 W 26 " "

78.50 to sec. cor.

East on Random between Sec. 10 &amp; 15

4.25 a Branch 10 M. wide course S

40.00 set temp. g. sec. post

58.00 a Branch 6 M. wide course N 50 E

79.10 Intersect N. & S. line 125 M. S. of post—  
Level, Beech, Poplar & Oak

West Connected between Sec. 10 &amp; 15

39.55 set g. sec. post at aver. dist. from which  
a Beech 18 in. diameter S 83 W 10 M. dist. 8

a Ash 8 " " " N 27 E 5 " "

79.10 to sec. cor. November 29, 1806

East on Random between Sec. 11 &amp; 14

10.38 a Spring branch course S

40.00 set temp. g. sec. post

58.00 a Branch 30 M. wide course S

72.12 a Ash 50 " " " S

80.00 Intersect N. &amp; S. line at post—

Beech, Poplar, Maple, Elm &amp; Ash

West blazed between Sec. 11 &amp; 14

40.00 set g. sec. post at aver. dist. from which

## T. C. N. R. O. E. L. Mer. Ind. a

a Beech 23 in. dia. bears S 62° W 41 lbs. dist. 8

a Do 8 " " " S 21° E 29 " "

80.00 to sec. cor.

East on Random between Sec. 12 & 13

22.50 Swamp

33.50 a Branch 4 lbs. wide course S

40.00 set temp. g. sec. post

73.50 Bottom to the post

76.50 a Drain course S

79.75 Intersect E. Boundary 60 lbs. N. of post

Maple, Elm & Ash in the Swamp; Beech,  
Poplar & Oak on the Upland

West Connected between Sec. 12 & 13

39.87 set g. sec. post at aver. dist. from which

a Beech 10 in. dia. bears N 38° W 18 lbs. dist. 8

a Do 12 " " " S 60° E 7 " "

79.75 to sec. cor.

North between Sec. 11 & 12

11.00 Swamp

35.00 a Creek 60 lbs. wide course S 30° W. & up it  
cropping it 7 times, through wet Bottoms

40.00 set g. sec. post from which

a Gum 33 in. dia. bears S 19° E 38 lbs. dist. 8

a Do 9 " " " N 58° W 23 " "

80.00 set post cor. of sec. 1, 2, 11 & 12 from which

a Maple 20 in. dia. bears N 24° E 31 lbs. dist. 8

a Beech 24 " " " S 82° W 14 " "

Wet Bottom, Maple, Gum, Ash & Elm, some  
Oak

## T. C. N., R. C. E. 2. Mer. Ind. a

North between Sec. 10 &amp; 11

- 1.50 a Branch 6 lbs. wide course E  
 17.00 a Do 5 " " " E  
 24.88 a Beech 24 in. dia.  
 40.00 set of sec. post from which  
     a Beech 16 in. dia. bears N 39 W 6 lbs. dist. 8  
     a Do 12 " " " N 46 E 24 " "  
 57.20 an Ash 16 " "  
 70.00 a Branch 5 lbs. wide course E  
 80.00 set post cor. of Sec. 2, 3, 10 & 11 from which  
     a Beech 24 in. dia. bears S 45 E 20 lbs. dist. 8  
     a Do 14 " " " N 58 W 36 " "  
 Low ridges, Beech, Poplar, Ash & Oak
- 

North between Sec. 9 &amp; 10

- 5.25 a Branch 8 lbs. wide course E  
 40.00 set of sec. post from which  
     a Beech 14 in. dia. bears N 51 W 17 lbs. dist. 8  
     a Gum 33 " " " N 83 E 12 " "  
 58.25 a R. Oak 33 " "  
 69.00 Intersect Indian Boundary, set post from which  
     a Maple 20 in. dia. bears S 31 W 22 lbs. dist. 8  
     a Gum 21 " " " N 81 E 24 " "  
 Level, Beech, Ash, Poplar & Oak
- 

West between Sec. 3 &amp; 10

- 27.50 a Branch 8 lbs. wide course N  
 38.00 a Do 10 " " " N  
 40.00 set of sec. post from which  
     an Elm 20 in. dia. bears N 60 W 28 lbs. dist. 8  
     a Beech 12 " " " S 88 W 27 " "  
 55.50 a Branch 6 lbs. wide course N 40 E  
 67.77 Intersect Indian Boundary, set post from which

T. C. N., R. C. E. I. Mer. Ind.<sup>a</sup>

a Beech 10 in. dia. leans N 70 E 15 lbs. dist. 8  
 a Hickory 18 " " " S 17 E 14 " "  
 Level, Beech, Poplar, Hickory & Oak

---

## North between Sec. 2 &amp; 3

5.00 a Branch 20 lbs. wide course E  
 15.00 an Ash 24 in. dia.  
 40.00 set g. sec. post from which  
 a Beech 24 in. dia. leans S 58 E 20 lbs. dist. 8  
 an Elm 22 " " " N 69 W 37 " "  
 42.00 Intersect Indian Boundary, set post from which  
 a Beech 18 in. dia. leans S 22 W 50 lbs. dist. 8  
 a Do 16 " " " S 86 E 25 " "  
 Level, Beech, Poplar, Ash & Oak

---

## East on Random between Sec. 2 &amp; 11

26.38 a Branch 20 lbs. wide course S 50 E  
 40.00 set temp. g. sec. post  
 57.38 a Branch 8 lbs. wide course S  
 78.38 a Do 50 " " " S  
 80.00 Intersect N & S line at post—  
 Level, Beech, Poplar, Oak, Elm & Ash

---

## West blazed between Sec. 2 &amp; 11

40.00 set g. sec. post at aver. dist. from which  
 a Beech 12 in. dia. leans S 36 1/2 E 18 lbs. dist. 8  
 a Do 21 " " " N 69 W 14 " "  
 80.00 to sec. cor. November 30. 1806

---

~~North between Sec. 2 & 3~~

~~5.00 a Branch 20 lbs. wide course E~~  
~~15.00~~



T. N., R. O. E. I. Mer. Ind.<sup>a</sup>

East on Raudam between Sec. 1 &amp; 12

4.00 a Branch 12 lbs. wide course S

15.00 Upland

33.38 a Branch 12 lbs. wide course S

40.00 set temp. g. sec. port

78.00 Intersect E. Boundary 225 lbs. N. of port -  
Level, Beech, Poplar & Oak

West connected between Sec. 1 &amp; 12

39.00 set g. sec. port at aver. dist. from which  
a Beech 12 in. dia. bears S 82 E 30 lbs. dist. 8

a Do 12 " " " N 57 E 28 " "

78.00 to sec. cor.

North between Sec. 1 &amp; 2

5.00 a Branch 40 lbs. wide course S 30 W

23.00 Upland

31.38 a Beech 16 in. dia.

40.00 set g. sec. port from which

a Beech 21 in. dia. bears S 13 W 8 lbs. dist. 8

a Do 10 " " " N 9 E 24 " "

51.00 a Branch 6 lbs. wide course E

68.08 a Beech 16 in. dia.

76.50 Intersect N. Boundary 66 lbs. E. of port -

set port at intersection cor. of Sec. 1 &amp; 2 from which

a Poplar 33 in. dia. bears S 25 E 24 lbs. dist. 8

a R. Oak 24 " " " S 43 - 27 " "

Level, Beech, Oak &amp; Poplar

December 1<sup>st</sup> 1866. Subdivided by

Jacob Fowler

Dep. Surveyor

## T. C. N., R. C. E. I. Mer. Ind. a

North between Sec. 2 &amp; 3 Var. 6° 30' E

35.21 Intersect N. Boundary at post.

(Description of land &amp;c. omitted)

North between Sec. 9 &amp; 10

11.00 set post cor. of sec. 3, 4, 9 & 10 from which  
a Beech 6 in. diam. S 80° E 10 lbs. dist. 8  
a Do 18 " " " N 80° W 23 " "

(Description of land &amp;c. omitted)

East between Sec. 3 &amp; 10

16.59 Intersect cor. at Indian Boundary.

Over rolling Irate land, Beech, Oak, Gum;  
Wyr. Spice, Dogwood

North between Sec. 3 &amp; 4

23.50 a Beech 18 in. dia.

40.00 set g. sec. post from which

a Beech 10 in. diam. S 42° E 11 lbs. dist. 8

a Do 12 " " " S 86° W 25 " "

63.40 a Do 16 " "

75.67 Intersect N. Boundary 128 lbs. E. of post -

set post at intersection cor. of sec. 3 &amp; 4 from which

a Beech 18 in. diam. S 36° W 18 lbs. dist. 8

a Do 10 " " " S 29° E 38 " "

Over level Irate land, Beech, Oak, Poplar &  
Wyr. Spice, Green briars. Sept. 10, 1819

North between Sec. 8 &amp; 9

26.50 set g. sec. post from which

a Beech 18 in. diam. S 38° E 13 lbs. dist. 8

a W. Ash 8 " " " N 40° W 17 " "

64.50 enter Swamp

## T. C. N., R. C. E. I. Mer. Ind. a.

66.50 set post in Swamp cor. of sec. 45, 8 & 9  
No Bearing trees.

---

East on Random between Sec. 4 & 9

39.75 leave Swamp

40.00 set temp. g. sec. post

81.08 Intersect N. S. line 53 hrs. N. of post -  
Over Swamp & wet ground, Maple, Willow,  
Elm, Beech &c

---

West corrected between Sec. 4 & 9

40.54 set g. sec. post at aver. dist. from which  
a Maple 12 in. dia. bears S 18 W 12 hrs. dist. 8  
a Do 16 " " " N 54 E 16 " "

41.33 enter Swamp

81.08 to sec. cor.

---

North between Sec. 4 & 5

25.00 leave Swamp

40.00 set g. sec. post from which  
a Beech 12 in. dia. bears N 40 E 4 hrs. dist. 8  
a Maple 18 " " " S 45 W 28 " "

58.90 a Beech 16 " "

-- -- Intersect N. Boundary - 1/2 hr. W. of post -  
set post at intersection cor. of sec. 4 & 5 from which  
a Beech - in. dia. bears - - - - - 1/2 hr. dist. 8  
a Do - " " " - - - - - " "  
(Description of land &c. omitted)

---

West between Sec. 18 & 19

14.76 Intersect N. Boundary at post -  
(Description of land &c. omitted)

---

## T. O. N., R. O. E. I. Mer. Ind. A.

North between Sec. 17 & 18

21.60 a Sugar 16 in. dia.

39.15 set post cor. of sec. 7, 8, 17 & 18 from which  
a Sugar 10 in. dia. bears N 29 E 15 lbs. dist. 8

a Do 10 " " " S 18 W 20 " "

Level 2<sup>d</sup> rate land, Beech, Sugar, Hickory - Upr. Spice

East on Random between Sec. 8 & 17

40.00 set temp. g. sec. post

58.76 to a point 190 lbs. N. of corner on Indian Boundary  
Level 2<sup>d</sup> rate land, Beech, Poplar, R. Oak, Hickory,  
Upr. Spice, Dogwood

West Connected between Sec. 8 & 17

16.79 set g. sec. post at aver. dist. from which  
a Beech 10 in. dia. bears N 42 E 13 lbs. dist. 8

a R. Oak 30 " " " N 77 W 27 " "

54.76 to sec. cor.

West between Sec. 7 & 18

40.00 through a large improvement, set g. sec. post  
from which

a Maple - in. dia. bears N 81 E 54 lbs. dist. 8

a W. Ash - " " " S 30 W 69 " "

60.28 a R. Elm 12 " "

73.42 Intersect W. Boundary 609 lbs. N. of post -

set post at intersection cor. of sec. 7 & 18 from which

a W. Elm - in. dia. bears N 84 E 23 lbs. dist. 8

a Hickory - " " " S 59 W 5 " "

First 1/2 mile over cleared land, 2<sup>d</sup> rate - last 1/2  
mile Bottom, Beech, Sugar, Walnut, Poplar  
Upr. Spice - September 1. 1819

## T. O. N., R. O. E. D. Mer. Ind. a

North between Sec. 7 & 8

20.90 a Beech 18 in. dia.

40.00 set g. sec. port from which

a Beech 12 in. dia. bears N 59 E 6 1/2 m. dist. 8

a W. Oak 12 " " " S 57 W 19 " "

67.63 a Beech 12 " "

80.00 set port cor. of sec. 5, 6, 7 & 8 from which

a R. Oak 24 in. dia. bears S 55 W 17 1/2 m. dist. 8

a Beech 20 " " " N 76 E 45 " "

Over rolling 2<sup>d</sup> rate land, Beech, R. W. Oak,  
Poplar, Upr. Spruce

East on Random between Sec. 5 & 8

40.00 set temp. g. sec. port

72.50 enter Swamp

81.50 Intersect N. G. line 105 m. N. of port

Over wet swampy ground, Maple, Gum, Beech,  
Hickory

West Corrected between Sec. 5 & 8

40.75 set g. sec. port at aver. dist. from which

a Gum 16 in. dia. bears N 34 W 10 m. dist. 8

a Do 10 " " " N 53 E 6 " "

81.50 to sec. cor.

West between Sec. 6 & 7

34.75 to left bank of East fork of White River,  
set port from which

a Buckeye 10 in. dia. bears N 33 E 8 m. dist. 8

a Sugar 20 " " " S 43 E 30 " "

71.50 down the river to a port in W. Boundary

North between Sec. 5 & 6



## T. C. N., R. C. E. L. Mer. Ind.?

- 22.30 a Beech 15 in. dia.  
 40.00 Set q. sec. post from which  
 a R. Elm 16 in. dia. bears N 89° W 18 M. dist. 28  
 a Beech 18 " " " S 85° E 51 " "  
 61.57 a Do 12 " "  
 72.10 Intersect N. Boundary 187 M. — of post —  
 Set post at intersection cor. of sec. 5 & 6 from which  
 a W. Ash 10 in. dia. bears N 25° E 21 M. dist. 28  
 a Do 6 " " " N 43° W 35 " "  
 (Description of land &c. omitted)

Meanderings of the Driftwood or East fork  
 of White River, commencing at post in  
 N. Boundary, thence right bank down stream:

Courses	Distances	Remarks
South	10.50	In Sec. 6
S 16° E	6.90	
S 71° W	10.85	
N 58° W	10.50	
N 41° W	9.21	
S 84° W	14.30	
S 45° W	9.30	
S 26° W	5.00	
S 20° E	11.17	
S 45° E	5.00	
S 61° E	8.84	
S 31° E	12.50	
S 54° E	6.00	
S 30° E	3.25	
S 10° W	6.57	
S 43° W	8.00	to post in N. Boundary

## T. 6 N., R. 6 E. 2. Mer. Ind. a

Commenced at post in W. Boundary on  
left bank of River, thence up stream  
S 75 E 20.00 to post in line between Sec. 6 & 7, by a  
Buckeye & Sugar tree

N 42 E 7.22 from last cr.  
N 23 E 8.93  
N 15 W 9.58  
N 44 W 28.00  
N 54 W 4.31  
N 59 W 11.50  
N 74 E 8.94  
S 66 E 7.30  
S 41 E 3.50  
S 61 E 5.00  
S 75 E 13.63  
N 61 E 17.00

----- to a post in N. Boundary  
September 12, 1819. Subdivided by  
B. F. Morris  
Dep. Surveyor

Note by Transcriber. The Meanders are of no  
account.

I certify that the foregoing transcript of Field  
Notes of the survey of Township N. 6 North, in  
Range N. 6 East of the 2. Principal Meridian,  
in the State of Indiana, has been compared with  
the original on file in this office, and found to be  
correct.

Surveyor General's Office,  
Cincinnati, March 29, 1842

O. S. Fairer  
Sur. Gen.